


INFORMAZIONI PER LA REALIZZAZIONE DI FILE .PDF/X-3 COMPATIBILI CON LE NS. SPECIFICHE

Per realizzare .PDF/X-3 conformi alle ns. specifiche è necessario seguire le seguenti indicazioni

- il Profilo Colore ICC deve essere incluso nel file
- Tutti i Fonts utilizzati devono essere rasterizzati e inclusi nel file
- Le abbondanze per le stampe cartacee (3 mm su ogni lato) devono essere già previste nel file
- Non vengono accettati files con compressione LZW
- Non vengono accettati files contenenti TRASPARENZE
- Non inserire password di protezione nel file
- Le immagini devono avere una risoluzione di 300 dpi
- Le immagini utilizzate devono essere incluse
- Non vengono accettati files con immagini OPI
- Il foglio lavoro (TrimBox) deve avere dimensioni precise


Di seguito indichiamo tramite Screenshot i passaggi e le opzioni da utilizzare per il salvataggio in .PDF dai programmi vettoriali (in questo caso da Illustrator CS2)



Save Adobe PDF

Adobe PDF Preset: [PDF/X-3:2002]

Standard: [PDF/X-3:2002] Compatibility: [Acrobat 4 (PDF 1.3)]

- General
- Compression**
- Marks and Bleeds
- Output
- Advanced
- Security
- Summary 

Compression

Color Bitmap Images

Bicubic Downsampling To [300] ppi for images above [450] ppi

Compression: [Automatic (JPEG)] Tile Size: [128] pixels

Image Quality: [Maximum]

Grayscale Bitmap Images

Bicubic Downsampling To [300] ppi for images above [450] ppi

Compression: [Automatic (JPEG)] Tile Size: [128] pixels

Image Quality: [Maximum]

Monochrome Bitmap Images

Bicubic Downsampling To [1200] ppi for images above [1800] ppi

Compression: [CCITT Group 4]

Compress Text and Line Art

Save Preset...

Save PDF


Cancel

Save Adobe PDF

Adobe PDF Preset: [PDF/X-3:2002] (Modified)

Standard: PDF/X-3:2002

Compatibility: Acrobat 4 (PDF 1.3)

- General
- Compression
- Marks and Bleeds**
- Output
- Advanced
- Security
- Summary 

Marks and Bleeds

Marks

- All Printer's Marks Printer Mark Type: Roman
- Trim Marks Trim Mark Weight: 0.25 pt
- Registration Marks Offset: 2,117 mm
- Color Bars
- Page Information

Bleeds

Top: 0 mm Left: 0 mm
Bottom: 0 mm Right: 0 mm

Save Preset...

Save PDF

Cancel

Save Adobe PDF

Adobe PDF Preset: [PDF/X-3:2002] (Modified) ▼

Standard: PDF/X-3:2002 ▼

Compatibility: Acrobat 4 (PDF 1.3) ▼

- General
- Compression
- Marks and Bleeds
- Output**
- Advanced
- Security
- Summary 

Output

Color

Color Conversion: No Conversion ▼

Destination: N/A ▼

Profile Inclusion Policy: Include All Profiles ▼

PDF/X

Output Intent Profile Name: Europe ISO Coated FOGRA27 ▼

Output Condition Name:

Output Condition Identifier: FOGRA27

Registry Name: <http://www.color.org>

Mark as Trapped

Description

Save Preset...

Save PDF


Cancel

Save Adobe PDF

Adobe PDF Preset: [PDF/X-3:2002]

Standard: [PDF/X-3:2002]


Compatibility: [Acrobat 4 (PDF 1.3)]

- General
- Compression
- Marks and Bleeds
- Output
- Advanced**
- Security
- Summary 

Advanced

Fonts

Subset fonts when percent of characters used is less than: [100%]

 All fonts with appropriate permission bits will be embedded.

Overprint and Transparency Flattener Options (PDF 1.3 Only)

Overprints: [Preserve]


Preset: [High Resolution]

Save Adobe PDF

Adobe PDF Preset: [PDF/X-3:2002] (Modified) ▼

Standard: PDF/X-3:2002 ▼

Compatibility: Acrobat 4 (PDF 1.3) ▼

- General
- Compression
- Marks and Bleeds
- Output
- Advanced
- Security**
- Summary 

Security

Encryption Level: Low (40-bit RC4) - Acrobat 3 and later


Require a password to open the document.

Document Open Password:

 When set, this password is required to open the document.

Use a password to restrict editing Security and Permissions settings.

Permissions Password:

 This password is required to open the document in PDF editing applications.

Acrobat Permissions

Printing Allowed: High Resolution ▼

Changes Allowed: Commenting, filling in form fields, and signing ▼

Enable copying of text, images, and other content and access for the visually impaired

Save Preset...

Save PDF

Cancel